

## Refine Search

### Search Results -

Terms	Documents
(interrupt near5 (controller or server or processor)) same (link\$3 near5 (loop or circular))	1

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L1





### Search History

 DATE: Friday, October 28, 2005    [Printable Copy](#)    [Create Case](#)

Set  
Name    Query  
 side by  
 side

Hit  
Count    Set  
                  Name  
                  result set

DB=PGPB; PLUR=YES; OP=OR

L1    (interrupt near5 (controller or server or processor)) same (link\$3 near5 (loop or circular))

 1    L1

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
(interrupt near5 (controller or server or process\$3)) same (link\$3 near5 (loop or circular))	24

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L1





### Search History

DATE: Friday, October 28, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	DB=PGPB,USPT,USOC; PLUR=YES; OP=OR		
<u>L1</u>	(interrupt near5 (controller or server or process\$3)) same (link\$3 near5 (loop or circular))	24	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(interrupt near5 (controller or server or process\$3)) same (link\$3 near5 (loop or circular))	3

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

L2

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, October 28, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L2</u>	(interrupt near5 (controller or server or process\$3)) same (link\$3 near5 (loop or circular))	3	<u>L2</u>
<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=OR</i>			
<u>L1</u>	(interrupt near5 (controller or server or process\$3)) same (link\$3 near5 (loop or circular))	24	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L3 same interrupt	5

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L4





### Search History

 DATE: Friday, October 28, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=OR</i>		
<u>L4</u>	L3 same interrupt	5	<u>L4</u>
<u>L3</u>	link\$3 near10 (circular adj1 list)	108	<u>L3</u>
	<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L2</u>	(interrupt near5 (controller or server or process\$3)) same (link\$3 near5 (loop or circular))	3	<u>L2</u>
	<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=OR</i>		
<u>L1</u>	(interrupt near5 (controller or server or process\$3)) same (link\$3 near5 (loop or circular))	24	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L3 same interrupt	0

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L5

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, October 28, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<u>L5</u>	DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR L3 same interrupt	0	<u>L5</u>
<u>L4</u>	DB=PGPB,USPT,USOC; PLUR=YES; OP=OR L3 same interrupt	5	<u>L4</u>
<u>L3</u>	DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR link\$3 near10 (circular adj1 list)	108	<u>L3</u>
<u>L2</u>	DB=PGPB,USPT,USOC; PLUR=YES; OP=OR (interrupt near5 (controller or server or process\$3)) same (link\$3 near5 (loop or circular))	3	<u>L2</u>
<u>L1</u>	DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR (interrupt near5 (controller or server or process\$3)) same (link\$3 near5 (loop or circular))	24	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
(interrupt near5 (controller or server or processor)) same (link\$3 near5 (loop or circular))	17

Database:

US Pre-Grant Publication Full-Text Database  
US Patents Full-Text Database  
US OCR Full-Text Database  
EPO Abstracts Database  
JPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

Search:

L2

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Friday, October 28, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	DB=PGPB,USPT,USOC; PLUR=YES; OP=OR		
<u>L2</u>	(interrupt near5 (controller or server or processor)) same (link\$3 near5 (loop or circular))	17	<u>L2</u>
	DB=DWPI; PLUR=YES; OP=OR		
<u>L1</u>	(interrupt near5 (controller or server or processor)) same (link\$3 near5 (loop or circular))	1	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(interrupt near5 (controller or server or processor)) same (link\$3 near5 (loop or circular))	2

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

L3

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, October 28, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L3</u>	(interrupt near5 (controller or server or processor)) same (link\$3 near5 (loop or circular))	2	<u>L3</u>
	<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=OR</i>		
<u>L2</u>	(interrupt near5 (controller or server or processor)) same (link\$3 near5 (loop or circular))	17	<u>L2</u>
	<i>DB=DWPI; PLUR=YES; OP=OR</i>		
<u>L1</u>	(interrupt near5 (controller or server or processor)) same (link\$3 near5 (loop or circular))	1	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L2 and L4	2

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L5

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, October 28, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=OR</i>			
<u>L5</u>	12 and L4	2	<u>L5</u>
<u>L4</u>	710/48,244,260-266,269;712/40.ccls.	2228	<u>L4</u>
<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L3</u>	(interrupt near5 (controller or server or processor)) same (link\$3 near5 (loop or circular))	2	<u>L3</u>
<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=OR</i>			
<u>L2</u>	(interrupt near5 (controller or server or processor)) same (link\$3 near5 (loop or circular))	17	<u>L2</u>
<i>DB=DWPI; PLUR=YES; OP=OR</i>			
<u>L1</u>	(interrupt near5 (controller or server or processor)) same (link\$3 near5 (loop or circular))	1	<u>L1</u>

END OF SEARCH HISTORY





Welcome United States Patent and Trademark Office

## Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(( interrupt&lt;in&gt;metadata ) &lt;and&gt; ( link&lt;in&gt;metadata ) ) and (serv8 or process") a..."

Your search matched 6 of 1250969 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail [print friendly](#)

## Search Options

[View Session History](#)[New Search](#)

## Modify Search


☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

## Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ **1. Traffic scheduling in Bluetooth network**  
 Sangvornvetphan, V.; Erke, T.;  
 Networks, 2001. Proceedings. Ninth IEEE International Conference on  
 10-12 Oct. 2001 Page(s):355 - 359  
 Digital Object Identifier 10.1109/ICON.2001.962367  
[AbstractPlus](#) | Full Text: PDF(438 KB) IEEE CNF
- ☐ **2. S/NET: A High-Speed Interconnect for Multiple Computers**  
 Ahuja, S.;  
 Selected Areas in Communications, IEEE Journal on  
 Volume 1, Issue 5, Nov 1983 Page(s):751 - 756  
[AbstractPlus](#) | Full Text: PDF(704 KB) IEEE JNL
- ☐ **3. Improving GSM call completion by call reestablishment**  
 Phone Lin; Yi-Bing Lin; Jen-Yih Jeng;  
 Selected Areas in Communications, IEEE Journal on  
 Volume 17, Issue 7, July 1999 Page(s):1305 - 1317  
 Digital Object Identifier 10.1109/49.778187  
[AbstractPlus](#) | [References](#) | Full Text: PDF(388 KB) IEEE JNL
- ☐ **4. System level power modeling and simulation of high-end Industrial network-on-chip**  
 Bona, A.; Zaccaria, V.; Zafalon, R.;  
 Design, Automation and Test in Europe Conference and Exhibition, 2004. Proceedings  
 Volume 3, 16-20 Feb. 2004 Page(s):318 - 323 Vol.3  
 Digital Object Identifier 10.1109/DATE.2004.1269258  
[AbstractPlus](#) | Full Text: PDF(315 KB) IEEE CNF
- ☐ **5. Scalability port: a coherent interface for shared memory multiprocessors**  
 Azimi, M.; Briggs, F.; Cekleov, M.; Khare, M.; Kumar, A.; Looi, L.P.;  
 High Performance Interconnects, 2002. Proceedings. 10th Symposium on  
 21-23 Aug. 2002 Page(s):65 - 70  
 Digital Object Identifier 10.1109/CONNECT.2002.1039258  
[AbstractPlus](#) | Full Text: PDF(279 KB) IEEE CNF
- ☐ **6. The application of disturbance recorders for cost effective protection and switchgear monitoring and maintenance**  
 Hensman, G.O.; Gale, P.F.;  
 Electricity Distribution, 1993. CIRED., 12th International Conference on  
 17-21 May 1993 Page(s):4.17/1 - 4.17/5 vol.4  
[AbstractPlus](#) | Full Text: PDF(296 KB) IEEE CNF



Welcome United States Patent and Trademark Office

**Search Results**[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(( interrupt&lt;in&gt;metadata ) &lt;and&gt; ( link&lt;in&gt;metadata ))&lt;and&gt; ( circular&lt;..."

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) [printer friendly](#)

## » Search Options

[View Session History](#)[New Search](#)

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE - All Rights Reserved

- ☒ Drafts
- ☐ Pending
- ☒ **Active**
- ☒ L1: (16)
- ☒ Failed
- ☒ Saved
- ☒ Favorites
- ☒ Tagged (0)
- ☒ UDC
- ☒ Queue
- ☒ Trash

Default operator: **OR** ▼

☒ Plurals☒ Highlight all hit terms initially

 PDF form
  ISAR form
  Image
  Text
  HTML

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error	Definition	Error
1	BRS	L1	16	(interrupt near5 (controller or server T	USPA	2005/10/2 8 14:16				

**EAST - [Untitled1:1]**

File View Edit Tools Window Help

☐ Drafts  
☐ Pending  
☒ Active  
☐ Failed  
☐ Saved  
☐ Favorites  
☐ Tagged (0)  
☐ UDC  
☐ Queue  
☐ Trash

Search

DBs: USPAT ☒ Plurals  
 Default operator: OR  ☒ Highlight all hit terms initially

(interrupt near5 (controller or server or processor)) same (link\$3 near5 (loop or circular))

	U	I	Document ID	Issue Dat	Pages	Title	Current OR	Current X
1	<input type="checkbox"/>	<input type="checkbox"/>	US 5805074 A	19980908	26	Electronic interlock for storage assemblies	340/5.54	312/215; 340/5.73;
2	<input type="checkbox"/>	<input type="checkbox"/>	US 5701502 A	19971223	152	Isolating a central processing unit from th	709/201	710/110; 718/1;
3	<input type="checkbox"/>	<input type="checkbox"/>	US 5389919 A	19950214	28	Electronic interlock for storage assemblies	340/5.31	109/7; 235/382;
4	<input type="checkbox"/>	<input type="checkbox"/>	US 5388215 A	19950207	157	Uncoupling a central processing unit from it	709/229	703/22; 703/27;
5	<input type="checkbox"/>	<input type="checkbox"/>	US 5369767 A	19941129	157	Servicing interrupt requests in a data proc	710/264	
6	<input type="checkbox"/>	<input type="checkbox"/>	US 5369749 A	19941129	157	Method and apparatus for the direct transfer	718/104	710/1; 719/310
7	<input type="checkbox"/>	<input type="checkbox"/>	US 5363497 A	19941108	156	System for removing section of memory from	711/153	709/216
8	<input type="checkbox"/>	<input type="checkbox"/>	US 5325517 A	19940628	159	Fault tolerant data processing system	714/11	
9	<input type="checkbox"/>	<input type="checkbox"/>	US 5283868 A	19940201	159	Providing additional system characteristics	709/227	709/246
10	<input type="checkbox"/>	<input type="checkbox"/>	US 5225825 A	19930706	28	Electronic interlock for storage assemblies	340/5.22	221/125; 312/215;
11	<input type="checkbox"/>	<input type="checkbox"/>	US 5158347	19921027	25	Subcabinet movement	312/319.8	